NEED HELP SELECTING A BECKETT HVAC PUMP?

Condensate Management Solutions. Driven by Innovation Since 1948.

beckett®

What is the Application or Job Type?	CONDENSATE REMOVAL PUMPS	LOW PROFILE CONDENSATE PUMPS	MINI SPLIT CONDENSATE PUMPS	PLENUM & HIGH TEMPERATURE PUMPS	IN-PAN CONDENSATE PUMPS
Common Equipment and Installation Examples	Air conditioners, condensing furnaces, boilers, and dehumidifiers	Air conditioners and con- densing furnaces with limited space for pump installation	Wall mounts and ductless, mini-split air conditioners	Above-ceiling and below-floor Plenum applications: con- densing boiler applications	Air conditioners and refrig- eration equipment where in-pan condensate removal is the only option
Shut Off (Max Lift) Range	12.5' to 65'	20'	53'	20' to 65'	12'
Flow @ 1 ft, Range	57-476 GPH	145-153 GPH	2.7 GPH	145-476 GPH	80 GPH
Input Voltage	120V, 230V or 460V	120V or 230V	120V or 230V	120V, 230V or 460V	120V
Collection Tank Size	.68 qt. to 1 Gal. (US)	.85 qt. (US)	N/A	.85 qt. to 1 Gal. (US)	Included w/ Certain Models
Maximum Water Temp	150° to 212° F	150° to 190° F	104° F	150° to 212° F	86° F
Discharge/Check Valve	3/8" to 1/2"	3/8"	1/4"	3/8" to 1/2″	3/8"

Other Considerations

1

2

3

Power Supply	6' Cord w/ Plug for CB12, BK17 & BK22. Hard wired terminals for larger pumps.	6' Cord w/ Plug	5' Cord (no plug)	6' Power Lead on CL20. Hard wired terminals for larger pumps.	6' Cord w/ Plug
Safety Switch	Included w/ Most Models	Included w/ Most Models	Yes	Included w/ Most Models	Included w/ Certain Models
PVC Tubing	Included w/ Certain Models	Included w/ Certain Models	Included w/ Certain Models	Included w/ Certain Models	Included w/ Certain Models
UL/CUL Listed	All Models	All Models	All Models	All Models	All Models
UL2043 - Plenum Rated	No	No	No	Yes	No
Standard Warranty	1-3 Year Warranty	1-Year Warranty	1-Year Warranty	1-Year Warranty	1-Year Warranty

Beckett Pump Models

Featured Pumps					
Learn more at Beckettus.com, contact your local distributor	CB12, BK17, BK22, CB22, CB25, CB50 and	CL20 Pumps	MS60 Pumps	CL20, CB50 and CP65 Pumps	IPC13 Pumps
or your local sales rep for additional information	CP65 Pumps				

SMALL/MEDIUM CONDENSATE PUMPS

Condensate Management Solutions. Driven by Innovation Since 1948.

beckett®

Type of Condensate Removal Pump?	MS60 MINI SPLIT CONDENSATE PUMPS	CB12 SMALL CONDENSATE PUMP	CL20 LOW PROFILE CONDENSATE PUMP	BK17 MEDIUM CONDENSATE PUMP	BK22 MEDIUM CONDENSATE PUMP
Shut Off (Max Lift) Range	53'	12.5'	20'	17'	22'
Flow @ 1 ft, Range	2.7 GPH	57 GPH	145-153 GPH	112 GPH	125 GPH
Input Voltage	120V or 230V	120V	120V or 230V	120V or 230V	120V or 230V
Collection Tank Size	N/A	0.68 qt.	.85 qt. (US)	2.5 qt.	2.5 qt.
Maximum Water Temp	104° F	150° F	150° to 190° F	150° F	150° F
Discharge/Check Valve	1/4"	3/8"	3/8"	3/8"	3/8"
Common Equipment and Installation Examples	Wall mounts and ductless, mini-split air conditioners	Air conditioners, condensing furnaces, boilers, and dehumidifiers			

Other Considerations

1

2

Power Supply	5' Cord (no plug)	6' Cord w/ Plug			
Safety Switch	Yes	Included w/ Certain Models			
PVC Tubing	Included w/ Certain Models	No	No	Included w/ Certain Models	Included w/ Certain Models
UL/CUL Listed	All Models				
UL2043 - Plenum Rated	No	No	Yes, w/ CL201LULP	No	No
Standard Warranty	1-Year Warranty	1-Year Warranty	1-Year Warranty	3-Year Warranty	3-Year Warranty

3 Beckett Pump Models

Featured Pumps					
Learn more at Beckettus.com, contact your local distributor or your local sales rep for additional information	MS6011110	CB121UL CB121LSUL	CL202UL, CL201LULP, CL202UL, CL202ULHT	BK171UL, BK171LSUL BK171TUL	BK221UL, BK221LSUL, BK221TUL, BK222TUL, BK222UL

LARGE & PLENUM CONDENSATE PUMPS

Condensate Management Solutions. Driven by Innovation Since 1948.

beckett®

Type of Condensate Removal Pump?	CB25 LARGE CONDENSATE PUMP	CB50 LARGE CONDENSATE PUMP	CP65 LARGE CONDENSATE PUMP	PLENUM & HIGH TEMPERATURE CONDENSATE PUMPS	IN-PAN CONDENSATE PUMPS
Shut Off (Max Lift) Range	25'	50'	65'	20' to 65'	12'
Flow @ 1 ft, Range	108 GPH	420-486 GPH	476 GPH	145-476 GPH	80 GPH
Input Voltage	120V or 230V	120V, 230V, 460V	120V, 230V or 460V	120V, 230V or 460V	120V
Collection Tank Size	1 Gal.	1 Gal.	1 Gal.	.85 qt. to 1 Gal. (US)	Included w/ Certain Models
Maximum Water Temp	150°-190° F	150° - 212° F	150° - 212° F	150° to 212° F	86° F
Discharge/Check Valve	3/8"	1/2"	1/2"	3/8"	3/8"
Common Equipment and Installation Examples	Air conditioners, condensing furnaces, boilers, and dehumidifiers	Air conditioners, condensing furnaces, boilers, and dehumidifiers	Air conditioners, condensing furnaces, boilers, and dehumidifiers	Above-ceiling and below-floor Plenum applications: con- densing boiler applications	Air conditioners and refrig- eration equipment where in-pan condensate removal is the only option

Other Considerations

1

2

3

Power Supply	Hard Wired Terminal Block	Hard Wired Terminal Block	Hard Wired Terminal Block	6' Power Lead on CL20. Hard Wired Terminals for Larger Pumps.	6' Cord w/ Plug
Safety Switch	Yes, All Models	Yes, All Models	Yes, All Models	Included w/ Most Models	Included w/ Certain Models
PVC Tubing	No	No	No	Included w/ Certain Models	Included w/ Certain Models
UL/CUL Listed	All Models	All Models	All Models	All Models	All Models
UL2043 - Plenum Rated	No	Included w/ Certain Models	Included w/ Certain Models	Yes	No
Standard Warranty	1-Year Warranty	1-Year Warranty	1-Year Warranty	1-Year Warranty	1-Year Warranty

Beckett Pump Models

Featured Pumps					
Learn more at BeckettUS.com,	CB251UL, CB251ULHT,	CB501UL, CB501ULHTS,	CP651ULHTS	CL20 Pumps	
contact your local distributor	CB252UL, CB252ULHT	CB502UL, CB502ULHTS,	CP654ULHTS	CB50 Pumps	IPC13 Pumps
or your local sales rep for	CB252UL, CB252ULHI	CB504UL, CB504ULHTS	CP054ULHTS	CP65 Pumps	
additional information					

BETTER SOLUTIONS FROM BECKETT

Condensate Management Solutions. Driven by Innovation Since 1948.



NEW BK17 & 22 CONDENSATE PUMP SERIES



OTHER CONDENSATE MANAGEMENT PRODUCTS

MS60 MINI SPLIT PUMPS Condensate pumps for mini split systems up to 36,000 BTU









LOW PROFILE PUMPS Condensate pumps for space contrained applications



1502 SAFETY SWITCHES

Overflow safety switches for metal and plastic drain pans



G SERIES PUMPS Bottom intake and submersible

pumps for a range of applications

