

GP210 PARTS WASHER PUMP

FOR 115V,60Hz or 230V, 50/60Hz

Beckett's submersible pump line offers top of the line epoxy encapsulated (not oil filled), 115V,60Hz or 230V, 50/60Hz design to meet all your continuous duty requirements. They are low maintenance, environmentally safe, and can be used in a variety of industrial applications. Each pump features a heavy-duty motor for maximum output and reliability.


GP210V is ideal for most solvent or aqueous parts washer solutions up to 210GPH@1ft. with a maximum pumping height of 7ft. This model has a FKM shaft seal and a threaded cord exit for mounting in a parts washer.

FEATURES:

- Fully submersible
- Epoxy encapsulated
- FKM shaft seal
- Corrosion resistant polyester housing
- 1/4" MNPT discharge, fits 1/2" ID PVC tubing

cULus for GP210V

CE for GP210C



Model #	H	W	L	Outlet	Inlet	Volts	Amps	Watts	Gallons per hour @ 60Hz / Rated Voltage					Max Lift (ft.)	Temp Rising (F)	Weight Lb. Each	6 Ft. Cord (No plug)	cULus	CE	
									1'	2'	4'	6'	8'							10'
GP210V	3.9"	2.75"	4.5"	1/4" MNPT	SCREEN	115	0.55	32	210	190	137	71	-	-	7	110	2.8	√	√	
GP210C	3.9"	2.75"	4.5"	1/4" MNPT	SCREEN	230	0.42	39	190	157	93	-	-	-	5	110	2.8	√		√

DESIGNED FOR SUBMERSIBLE USE ONLY

Average Performance